

# Zebra RFID SDK for Android

## Release Notes for v1.0.3.11

Released 29 December, 2016

### Contents

Introduction.....	1
Description .....	1
Updates over v1.0.3.9 .....	2
Device Compatibility .....	2
Release Notes.....	2
Components .....	3
Installation .....	3
Notes.....	3

---

### Introduction

This release notes are for the Zebra RFID SDK for Android V1.0.3.11

---

### Description

The Zebra RFID SDK for Android enables Android devices to interface with the RFD8500 via its Bluetooth interface. The Zebra RFID SDK provides a powerful set of APIs that use directly the ZETI (Zebra Easy Text Interface) exclusively created to take full advantage of the RFD8500 performance, functionality and versatility. The SDK also contains the Zebra RFID Mobile API application that can be used as reference to develop new applications or to port existing applications to take advantage of the RFD8500 features.

#### Functionality:

1. Inventory – A quick snapshot of the scanned RFID tags and the ability to search a tag from the list.
2. Rapid Read – A simple screen to quickly get unique and total tag counts.
3. Locate Tag - Use the Locate Tag feature to find and locate an item by searching for a specific Tag ID. The device will provide feedback that indicates the relative distance to the tagged item.
4. Filter – Select/deselect a tag based on pattern criteria.
5. Access - manipulate standard tag memory locations.
6. Support for Batch mode for RFID.
  - a. Auto Mode – RFD8500 enters batch mode when BT connectivity is lost when inventory is still ongoing.

## Zebra RFID SDK for Android

- b. Batch Mode Enable – User specifies that RFD8500 performs inventory in batch mode
  - c. Batch Mode Disable – No batch mode in which case RFD8500 stops the inventory if BT connection is lost.
7. Settings – Configure the reader to meet your needs.
    - a. Connect your Android device to the RFD8500 once the Bluetooth connection has been established.
    - b. Configure the RFID Antenna power and link profile.
    - c. Time the Start/Stop Trigger
    - d. Control the audible beep volume
    - e. Configure reader to report only unique tags
  8. Use the Power Management settings to optimize battery usage
  9. Offload RFID data after RFD8500 inventories in batch mode
  10. Battery level notifications
  11. Export RFID data to a PC

---

### Updates over v1.0.3.9

- Validated with newer Android versions (Maintains compatibility with Android v4.4.3)
  - Android v5.1.1 (MC40 & TC70)
  - Android v6.0.1 (TC51)
- Fixed issue whereby TagPattern mask, write data (byte array data) is not set properly when mask contains leading zeros

---

### Device Compatibility

- RFD8500
- RFD8500i

---

### Release Notes

- RFID SDK Version 1.0.3.11
- Zebra\_RFID\_Mobile\_API Version 1.0.3.20

# Zebra RFID SDK for Android

---

## Components

The zip file contains the following components:

- RFID API3 SDK along with JavaDoc
- Zebra RFID Mobile API Application APK file and source code
- Android Studio project

---

## Installation

Supported operating systems:

- Android 4.4.x and later

Developer system requirements:

- Developer Computers: Windows 7/64-bit
- Android: Android Studio (1.0 or later), and Android API Level 19 or later

---

## Notes

Refer to the RFD8500 RFID Developer Guide

Refer to the RFID8500 RFID User Guide for notes on RFID Zebra Mobile API application usage